

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

DATE MAILED: 08/03/2006

APPLICATION NO.	FI	LING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/796,350	(3/08/2004	Rajeev K. Nalawadi	42P18572	2026
8791	7590	08/03/2006		EXAMINER	
	=	OFF TAYLOR & Z	ZAMAN, FAISAL M		
12400 WILSHIRE BOULEVARD SEVENTH FLOOR				ART UNIT	PAPER NUMBER
LOS ANGE	LES, CA	90025-1030	2112		

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	10/796,350	NALAWADI ET AL.				
Office Action Summary	Examiner	Art Unit				
	Faisal Zaman	2112				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D. - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tir will apply and will expire SIX (6) MONTHS from e, cause the application to become ABANDONE	N. nely filed the mailing date of this communication. ED (35 U.S.C. § 133).				
Status						
	Responsive to communication(s) filed on <u>21 June 2006</u> .					
,	•					
,	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4) Claim(s) 1-23 is/are pending in the application 4a) Of the above claim(s) is/are withdra 5) Claim(s) is/are allowed. 6) Claim(s) 1-23 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or	wn from consideration.					
Application Papers		•				
9) The specification is objected to by the Examine 10) The drawing(s) filed on 08 March 2004 is/are: Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Examine 11.	a)⊠ accepted or b)☐ objected t drawing(s) be held in abeyance. Se tion is required if the drawing(s) is ob	e 37 CFR 1.85(a). ijected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Burea * See the attached detailed Office action for a list 	ts have been received. ts have been received in Applicat rity documents have been receive u (PCT Rule 17.2(a)).	ion No ed in this National Stage				
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal F					
 Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 	6) Other:	arrent de la cami				

Art Unit: 2112

DETAILED ACTION

Response to Amendment

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 2. Claims 17 and 19 are rejected under 35 U.S.C. 102(b) as being anticipated by Stanley (U.S. Patent No. 6,219,742).

Regarding Claim 17, Stanley discloses a system (Figure 1) comprising:

A processor (Column 19, line 18);

A memory device coupled to the processor (Column 19, lines 23-30);

An advanced configuration and power interface (ACPI) module to manage power management resources (Figure 1, items 110-116, Column 4, lines 30-40); and

An operating system module executed by the processor to identify a system resource that generates an interrupt and register a device driver to manage the system resource, the operating system module invoking the ACPI module when a memory access is received that corresponds to an address range registered by the device driver (Column 11, lines 12-15 and 32-37).

Regarding Claim 19, Stanley discloses wherein the address range is a system memory address range (Column 10 line 63 – Column 11 line 4).

Art Unit: 2112

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 1, 2, and 4 are rejected under 35 U.S.C. 102(b) as being unpatentable over Marisetty (U.S. Patent No. 5,590,312) in view of Carpenter et al. ("Carpenter") (U.S. Patent No. 6,148,361).

Regarding Claim 1, Marisetty discloses a method comprising:

Assigning an address range to a resource (Marisetty, Column 7, lines 39-42);

Configuring the resource by the operating system to access the address range (Marisetty, Column 7, lines 45-49 and lines 55-56); and

Generating the interrupt if the address range is accessed (Marisetty, Column 7, lines 45-49).

Marisetty does not expressly disclose identifying a resource in a computer system that is capable of generating an interrupt.

In the same field of endeavor (e.g. an interrupt architecture for a data processing system), Carpenter teaches identifying a resource in a computer system that is capable of generating an interrupt (Carpenter, Figure 7, item 302, Column 13, lines 6-9).

Accordingly, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have combined Carpenter's teachings of an interrupt

Art Unit: 2112

architecture for a data processing system with the teachings of Marisetty, for the purpose of providing an interrupt handling mechanism in a computer system that provides efficient mechanisms for interrupt routing and communication (see Carpenter, Column 1, lines 51-54). Further, it would be obvious to one of ordinary skill in the art to combine for the purpose of improved task management (by knowing exactly which and how many resources can generate interrupts) in the system of Marisetty.

Regarding Claims 2 and 4, Marisetty discloses wherein the address range is an input output address ranges and system memory address range (Marisetty, Column 7, lines 39-42).

Claim Rejections - 35 USC § 103

5. Claims 3, 5-6, and 11-13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Marisetty in view of Carpenter (hereafter referred to as "Marisetty-Carpenter"), and further in view of Stanley.

Regarding Claim 3, Marisetty-Carpenter discloses the method of Claim 1 as discussed above. Marisetty does not expressly disclose the method further comprising correlating an advanced configuration and power interface source language code method with an address range.

In the same field of endeavor (e.g. software control of hardware in a computer system), Stanley teaches correlating an advanced configuration and power interface

Application/Control Number: 10/796,350 Page 5

Art Unit: 2112

source language code method with an address range (Stanley, Column 4, lines 44-52, ie. the addresses of the register blocks).

Accordingly, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have combined Stanley's teachings of software control of hardware in a computer system with the teachings of Marisetty-Carpenter, for the purpose of having software assisted solutions to hardware-related problems in order to mitigate risk (see Stanley, Column 3, lines 1-3). Marisetty-Carpenter also provides motivation to combine by stating it is an object of the invention to provide software emulation in place of unavailable hardware in order to use less circuitry (see Marisetty, Column 2, lines 46-49).

Regarding Claim 5, Stanley discloses the following limitation, which Marisetty-Carpenter does not expressly disclose:

Correlating a system control interrupt with an advanced configuration and power interface source language code method (Stanley, Column 1 line 64 – Column 2 line 6, and Column 5, lines 38-46, an ASL code method is used when the system is in ACPI mode [see Column 4, lines 23-27]).

The motivation used in the combination of Claim 3, super, applies equally as well to Claim 5.

Regarding Claim 6, Stanley discloses the following limitation, which Marisetty-Carpenter does not expressly disclose:

Art Unit: 2112

Registering a device driver for the address range by the operating system (Stanley, Column 10, lines 25-44).

The motivation used in the combination of Claim 3, super, applies equally as well to Claim 6.

Claims 11-13 are directed to an apparatus of the method of Claims 1-6.

Marisetty, Carpenter, and Stanley teach, either alone or in combination as stated above, the method as set forth in Claims 1-6. Therefore, Marisetty, Carpenter, and Stanley also teach, either alone or in combination as stated above, an apparatus as set forth in Claims 11-13.

Claim Rejections - 35 USC § 103

6. Claims 7-10, 14-16, 18, and 20-23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Marisetty in view of Stanley.

Regarding Claim 7, Marisetty discloses a method comprising:

Receiving an interrupt from an address access request (Marisetty, Column 8, lines 5-9); and

Invoking code assigned to the address access request (Marisetty, Column 8, lines 13-16).

Marisetty does not expressly disclose determining the source of the interrupt based on the address access request at an operating system level; and

Art Unit: 2112

Invoking an advanced configuration and power interface source language (ASL) code to the address access request.

In the same field of endeavor, Stanley teaches determining the source of the interrupt based on the address access request at an operating system level (Stanley, Column 11, lines 12-15); and

Invoking an advanced configuration and power interface source language (ASL) code to an address access request (Stanley, Column 11, lines 5-65, it is well known in the art that a control method is written in ACPI Machine Language, which is a low-level version of ASL, as evidenced by the ACPI Specification pages 13 and 14, cited below under Relevant Art).

Accordingly, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have combined Stanley's teachings of software control of hardware in a computer system with the teachings of Marisetty, for the purpose of having software assisted solutions to hardware-related problems in order to mitigate risk (see Stanley, Column 3, lines 1-3). Marisetty also provides motivation to combine by stating it is an object of the invention to provide software emulation in place of unavailable hardware in order to use less circuitry (see Marisetty, Column 2, lines 46-49).

Regarding Claim 8, Stanley teaches notifying a source of the address access that the ASL code (ie. the control method) completed (Stanley, Column 11, lines 33-37).

Art Unit: 2112

Regarding Claims 9 and 10, Marisetty discloses wherein the address access request is an input output address request and wherein the address access request is a system memory address request (Column 7, lines 39-42).

Regarding Claim 14, Marisetty discloses a device comprising:

A code segment to handle a request of a resource (Marisetty, Column 8, lines 5-9, ie. the code located within the I/O controller 404);

An address protection module to manage the protection of an address space (Marisetty, Column 8, lines 9-11, the I/O trap logic 408); and

Marisetty does not expressly disclose an operating system level interrupt handler module to receive an interrupt when the address protection module detects an address space access and to invoke the ASL code segment corresponding to the address space access:

Wherein the code segment used to handle a request of a resource is an advanced configuration and power interface source language (ASL) code segment; and The code segment that is invoked is an ASL code segment.

In the same field of endeavor, Stanley teaches an advanced configuration and power interface source language (ASL) code segment to handle a request of a resource (Stanley, Column 11, lines 5-65); and

An operating system level interrupt handler module to receive an interrupt when a module detects an address space access and to invoke the ASL code segment

Art Unit: 2112

corresponding to the address space access (Stanley, Column 11, lines 5-65, ie. the General Purpose Event handler).

The motivation used in the combination of Claim 7, super, applies equally as well to Claim 14.

Regarding Claim 15, Marisetty discloses wherein the address protection module is an input output protection module that generates a general protection fault (Marisetty, Column 8, lines 5-16, it is well known in the art that a general protection fault is an interrupt [or exception] that is initiated when a device attempts to access a protected I/O address).

Regarding Claim 16, Marisetty discloses wherein the address protection module is a memory protection module that generates a page fault (Marisetty, Column 7, lines 54-63, it is well known in the art that a page fault is an interrupt [or exception] that is initiated when a device attempts to access a protected system memory address).

Regarding Claim 18, Marisetty teaches wherein the address range is an input output address range (Marisetty, Column 7, lines 39-42).

The motivation utilized in the combination of Claim 7, super, applies equally as well to Claim 18.

Art Unit: 2112

Claims 20-23 are directed to a machine readable medium containing instructions to execute the method of Claims 7-10. Marisetty and Stanley teach, either alone or in combination as stated above, the method as set forth in Claims 7-10. Therefore, Marisetty and Stanley also teach, either alone or in combination as stated above, a machine readable medium as set forth in Claims 20-23.

Relevant Art

- 7. The Advanced Configuration and Power Interface Specification, Revision 2.0b, October 11, 2002 is cited as Relevant Art.
- 8. Operating System, Wikipedia.org, retrieved from the Internet on 7/24/06 at http://en.wikipedia.org/wiki/Operating_system is cited as Relevant Art.

Response to Arguments

9. Applicant's arguments filed 6/1/2006 concerning Claim 17 have been fully considered but they are not persuasive. Applicant argues that Stanley does not teach "an operating system module that identifies such system resources that generate interrupts and then registering a device driver to manage those system resources." Contrary to Applicant's argument, Stanley does in fact teach an operating system module executed by the processor to identify a system resource that generates an interrupt and register a device driver to manage a system resource (Column 11, lines 12-15), the operating system module (e.g. the General Purpose Event handler) invoking the ACPI module (ie. the module executing the control method) when a memory access

Application/Control Number: 10/796,350 Page 11

Art Unit: 2112

is received that corresponds to an address range registered by the device driver. The GPE handler "determines which device object (e.g. system resource) has signaled the event" (and in turn the System Control Interrupt). Therefore, Claim 17 stands as previously rejected.

- 10. Applicant's argument filed 6/1/2006 with regards to Claim 1 (and similarly Claim 11) and the limitation "configuring the resource by the operating system to access the address range" has been fully considered but it is not persuasive. Contrary to Applicant's argument, Marisetty does in fact teach this limitation. The step of the resource (ie. the application) accessing the address range (see Marisetty, Column 7, lines 45-49 and lines 55-56) is equivalent to "configuring the resource to access the address range". Further, Marisetty teaches that a memory address range and an I/O memory range are both set up for VGA accesses in on-board memory 408. It is well known in the art that operating systems (for example, Figure 3B, item 311 of Marisetty) are responsible for setting up the memory allocations of the various devices operating in the computer system, as evidenced by "Operating System", Wikipedia.org (see lines 1-3), cited above under Relevant Art.
- 11. Applicant's arguments filed 6/1/2006 with regards to Claim 7 (and similarly Claim 20) have been fully considered but they are not persuasive. Firstly, it is noted that although Claim 7 is said to have been amended to include the limitation "at an operating system level", there is no actual amendment made to the claim (see Page 3 of "Amendments to the Claims"). However, in order to further expedite prosecution, the examiner will respond to Applicant's argument as if Claim 7 were amended to include

Art Unit: 2112

this limitation (Applicant is requested to amend the claim as stated in the next response).

Applicant argues that neither Marisetty nor Stanley teach "determining the source of the interrupt based on the address access request at an operating system level". Contrary to Applicant's argument, Stanley does in fact teach the limitation "determining the source of the interrupt based on the address access request at an operating system level", see Stanley, Column 11, lines 12-15. Stanley teaches that the General Purpose Event handler (which operates at the operating system level) "determines which device object (e.g. system resource) has signaled the event" (and in turn the System Control Interrupt). Therefore, Claim 7 stands as previously rejected.

- 12. Applicant's arguments, see Page 9, filed 6/1/2006, with respect to Claim 14 and the limitation "an operating system level interrupt handler module to receive the interrupt when the address protection module detects an address [space] access" being taught by SMM handler of Marisetty have been fully considered and are persuasive.

 Therefore, that portion of the rejection has been withdrawn.
- 13. Applicant's arguments filed 6/1/2006 with regards to the rejection of the above mentioned limitation being taught by Stanley have been fully considered but they are not persuasive. Applicant argues that Stanley does not teach "that the general purpose event handler receives an interrupt from an address protection module that detects an address [space] access." Contrary to Applicant's argument, Stanley teaches this limitation, see Column 11 lines 5-15. Stanley teaches that when, for example, a process attempts to access the General Purpose Event register (bit 4 of the General

Art Unit: 2112

Purpose Event0_STS events [see Column 11, lines 43-44]), a System Control Interrupt is asserted (see Column 11, lines 7-8). This bit corresponds to an address in the computer's memory (see Column 10 line 63 – Column 11 line 4). In response to the System Control Interrupt being asserted, an ACPI control method is executed (see Column 11, lines 44-65). The GPE handler determines which device object has signaled the event based on the System Control Interrupt (SCI). Stanley does not specifically disclose that the GPE handler receives the SCI, however it would be obvious to one of ordinary skill in the art that it must receive the SCI in order to know when to determine which device object signaled the event and when to perform the Notify operation. Therefore, Claim 14 stands as previously rejected.

14. Applicant's arguments filed 6/1/2006 regarding the motivation to combine (see Page 10 of Remarks) have been fully considered but they are not persuasive. Applicant argues that the combination of the "general purpose event handler of Stanley with the emulation program of Marisetty would be improper because it would change the fundamental operating principles of Marisetty." The examiner disagrees. Contrary to Applicant's argument, Stanley teaches that the use of an SMI interrupt (an OStransparent interrupt) can be used in the system of Stanley if a legacy OS is loaded, see Column 9, lines 11-14.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Faisal Zaman whose telephone number is 571-272-6495. The examiner can normally be reached on Monday thru Friday, 8 am - 5:30 pm.

Art Unit: 2112

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rehana Perveen can be reached on 571-272-3676. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

fmz